

GR8!

Professional Web Templates

Template consists of 5 different color variants (each in separate subfolder):

- black
- blue
- green
- orange
- violet

Each color variant consists of **2 HTML templates**:

- main page (`index.html`)
- generic subpage (`subpage.html`)

Each color variant consist **1 PSD file**:

- `layout.psd`

Files

Files are stored in these subfolders:

- `/css/` - CSS styles
- `/design/` - design elements
- `/js/` - JavaScript libraries
- `/tmp/` - temporary files

HTML code

All source codes are precisely formatted and commented.

A UTF-8 character set is used.

Naming of design blocks in the main page is illustrated in the following picture.

If you want to edit some of these elements find in a code that block and make your edits.



Homepage

Layout of subpage is simple – classic double column.

Naming of design blocks is illustrated on the following picture:



Subpage

Simplified code of **main page** looks like this:

```
1 <html>
2 <head></head>
3 <body>
4
5     <div id="main">
6
7         <!-- Header -->
8         <div id="header">
9             === LOGO ===
10            === NAVIGATION ===
11        </div> <!-- /header -->
12
13        <!-- Box 01 -->
14        <div class="box-01">
15            === SLOGAN ===
16            === NEWS ===
17            === TWITTER ===
18            === etc. ===
19        </div> <!-- /box-01 -->
20
21        <!-- Box 02 -->
22        <div class="box-02">
23            === LEFT COLUMN ===
24            === CENTER COLUMN ===
25            === RIGHT COLUMN ===
26        </div> <!-- /box-02 -->
27
28        <!-- Box 03 -->
29        <div class="box-03">
30            === IMAGE SLIDER ===
31        </div> <!-- /box-03 -->
32
33        <!-- Box 04 -->
34        <div class="box-04">
35            === LINKS ===
36        </div> <!-- /box-04 -->
37
38        <!-- Footer -->
39        <div id="footer">
40            === COPYRIGHT ===
41        </div> <!-- /footer -->
42
43    </div> <!-- /main -->
44
45 </body>
46 </html>
```

Simplified code of **subpage** looks like this:

```
1 <html>
2 <head></head>
3 <body>
4
5     <div id="main">
6
7         <!-- Header -->
8         <div id="header">
9             === LOGO ===
10            === NAVIGATION ===
11        </div> <!-- /header -->
12
13        <!-- Title -->
14        <div id="title">
15            === MAIN TITLE (H1) ===
16            === SUB-NAVIGATION ===
17        </div> <!-- /title -->
18
19        <p id="breadcrumbs"> === BREADCRUMBS === </p>
20
21        <!-- Content + Sidebar -->
22        <div class="cols">
23
24            <!-- Content -->
25            <div id="content">
26                === MAIN CONTENT ===
27            </div> <!-- /content -->
28
29            <!-- Sidebar -->
30            <div id="aside">
31                === RIGHT SIDEBAR ===
32            </div> <!-- /aside -->
33
34        </div> <!-- /cols -->
35
36        <!-- Footer -->
37        <div id="footer">
38            === COPYRIGHT ===
39        </div> <!-- /footer -->
40
41    </div> <!-- /main -->
42
43 </body>
44 </html>
```

CSS

CSS styles are stored in four files:

- `css/reset.css` (reset main variables)
- `css/main.css` (main layout setting and typography)
- `css/main-ie6.css` (special solution for IE6)
- `css/style.css` (unique style defining colors)

First three CSS styles are same for all color variants.


All colors are defined only in file `style.css` – which is always unique.

Changes regarding color schemes have to be always made there.


```
1 body {background-color:#E9E9E9; color:#000;}
2 a {color:#000;}
3 a:hover, a:active, a:focus {color:#ccad00;}
4
5 /* -----
6 Layout
7 -----
8
9 #header #nav a {color:#303030;}
10 #header #nav a:hover, #header #nav a:hover span {color
11 #header #nav li.active a, #header #nav li.active a spa
12 #footer p.f-left {color:#7f7f7f;}
13 #footer p.f-left strong, #footer p.f-left strong a {cc
14 #footer p.f-right, #footer p.f-right a {color:#7f7f7f;
15 #footer a:hover {color:#000 !important;}
16
17 /* -----
18 Page: Homepage
19 -----
20
21 .box-01 {background-color:#dfdfdf;}
22 .box-02 .col h2 {color:#ccad00;}
23 .box-02, .box-02-top, .box-02-bottom {background-color
24 .box-03, .box-03-top, .box-03-bottom {background-color
25 .box-04 {background-color:#dfdfdf;}
26 .box-04 .box-04-title h3 {color:#fff;}
27 .box-04 .box-04-links span {color:#afafaf;}
```

PSD files


PSD file (layout.psd) contains details for both pages (main page, subpage). To switch between them just show/hide their folders (see image below).




PSD files consist guides (CTRL + ;) for simple cutting of layout.



Vectors are used for simple shapes. Changing styles for each element (for example colors, transitions, shadows etc.) is made by clicking on the “fx” symbol and editing these styles.



Changing pictures on main page



1. design/logo.gif (information about proportions has to be saved in
css/main.css -> #header #logo {width: XYpx; height: XYpx;})
2. design/slogan.gif (dimensions must be exactly 605x110px)
3. design/box-01-ribbon.gif (dimensions must be exactly 96x96px and picture
should have transparent background (overlays image under it))
4. design/box-01.jpg (dimensions must be exactly 995x347px)
5. design/box-01-button.gif (dimensions must be exactly 158x48px)
6. design/image-01.jpg ... (dimensions shouldn't be higher than 190x130px)
7. design/slider-1.jpg ... (suggested dimension 140x105px (ratio 4:3))

JavaScript

Templates use JQuery library (www.jquery.com) and "loopedSlider 0.5" plug-in, which author is Nathan Searles. Script is not modified; more information and settings possibility are on the authors' webpage: <http://code.google.com/p/loopedslider/>

Thank you for buying, if you have questions don't hesitate to
contact as at: hello@nuvio.cz